



CAR PARK SOLUTIONS

TRAFFICO® CAR LIFT


TRAFFICO® is a perfect solution when higher throughput is required. It provides high level of comfort and offers numerous options that can be individually customised.



© Nicole Zimmermann / CarLoft® GmbH, Berlin

BENEFITS:

- Quick and safe transportation
- High level of comfort and luxury operating elements
- Automatic travel in case of systems with two stopping points
- Particularly suitable for up to 40 parking places
- Numerous options for individual customisation
- Triple safety for car protection



© Nicole Zimmermann / CarLoft® GmbH Berlin



TRAFFICO® CAR LIFT | CHARACTERISTICS

INCLUDED:

- LED-Lighting
- Side panels and ceiling made of steel sheets
- Operating panel with cover plate made of stainless steel
- Hard wood ram protection
- Door made of galvanised steel
- Operating panels with position indicator for cars
- Tripple security through sensor technology



UPON CUSTOMER REQUEST:

- Door finished in stainless steel
- Door frames finished in stainless steel
- Weather-proof design, protection degree IP54
- Special paint finishes for floor, doors, cabin walls and ceiling
- Radio remote control
- Call box
- Additional position indicator for cars
- Noise protection package
- Control and aggregate in one cabin
- Variable cabin equipment




TECHNICAL DATA

	TRAFFICO® T42	TRAFFICO® T45	TRAFFICO® T48
Rated load	4,200 kg	4,550 kg	4,850 kg
Max. travel height (TH)	24 m	24 m	24 m
Nominal speed	0.2 - 0.5 m/s	0.2 - 0.5 m/s	0.2 - 0.5 m/s
Cabin dimensions (CW x CD x CH)	2,700 x 5,500 x 2,100 mm	2,800 x 5,800 x 2,100 mm	2,800 x 6,200 x 2,100 mm
Pit depth (PD)	1,250 mm	1,250 mm	1,250 mm
Shaft headroom (SH)	3,250 - 3,350 mm	3,250 - 3,550 mm	3,250 - 3,550 mm
Door dimensions (DW x DH)	2,400 x 2,100 mm	2,400 x 2,100 mm	2,400 x 2,100 mm
Shaft dimensions (SW x SD) (4-panel door - front only)	3,800 x 5,970 mm	3,800 x 6,270 mm	3,800 x 6,670 mm
Shaft dimensions (SW x SD) (4-panel door - through car)	3,800 x 6,140 mm	3,800 x 6,440 mm	3,800 x 6,840 mm
Shaft dimensions (SW x SD) (6-panel door - front only)	3,400 x 6,065 mm	3,550 x 6,365 mm	3,550 x 6,765 mm
Shaft dimensions (SW x SD) (6-panel door - through car)	3,400 x 6,320 mm	3,550 x 6,620 mm	3,550 x 7,020 mm



TRAFFICO® CAR LIFT | SHAFT LAYOUT





CAR PARK SOLUTIONS

TRAFFICO® CAR LIFT | REFERENCES



CarLoft® GmbH, Berlin, Germany



Müggenkampstrasse - Hamburg, Germany



Wildbachstrasse - Zürich, Switzerland



Parking - Zürich, Switzerland



Garage Zenith SA - Sion, Switzerland



Garage Swissotel - Zürich, Switzerland



Münchhaldeneck - Zürich, Switzerland



Dorfstrasse, Winterthur - Zürich, Switzerland



Bollerweg - Wädenswil, Switzerland



WE WOULD BE PLEASED TO ADVISE YOU:

Lödige Industries GmbH | Wilhelm-Lödige-Str. 1
34414 Warburg | Deutschland
Tel.: +49 5642 702-0 | Fax: +49 5642 702-111
E-mail: info@lodige.com

WWW.LODIGE.COM

Lödige-ES-FLY-TRAFFICO-EN-LIND-20160212



Lödige Service

We offer full service for your equipment after the installation: maintenance, spare parts, etc. Feel free to contact us.



+49 5642 702-600