




© ScagliolaBrakkee, Rotterdam


Reference: Academisch Psychiatrisch Centrum, Amsterdam, Architects: Greiner Van Goor Huijten




EF 244
Finish: satin stainless steel
Matching lever: ER 24 Corfu



EF 254
Finish: satin stainless steel
Matching lever: ER 25 Malta




EF 264
Finish: satin stainless steel
Matching lever: ER 26 Sylt




Rotates in 4 positions at 90°
Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm
□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows
Cap: 65 x 30 x 12 mm



EF 274
Finish: satin stainless steel
Matching lever: ER 27 Crete




EF 284
Finish: satin stainless steel
Matching lever: ER 28 Rhodos






EF 314

Finish: satin stainless steel
Matching lever: ER31 Tasmania




EF 664

Finish: satin stainless steel
Matching lever: ER 66 Tokio




EF 214

Finish: satin stainless steel
Matching lever: ER 21 Manhattan





EF 224

Finish: satin stainless steel
Matching lever: ER 22 Elba




EF 374

Finish: satin stainless steel
Matching lever: ER 37 Verona



EF 514

Finish: satin stainless steel
Matching lever: ER 51 London



Rotates in 4 positions at 90°

Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm

□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows
Cap: 65 x 30 x 12 mm

Rotates in 4 positions at 90°



Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm

□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows
Cap: 65 x 30 x 12 mm




EF 714

Finish: satin stainless steel
Matching lever: ER 71 Toronto




EAR 400
Lockable window rose

Finish: satin stainless steel
polished stainless steel
polished zirconium
Suitable for all levers made of stainless steel, brass and zinc
Hole distance: 43 mm
Cap: 99 x 32 x 24 mm




EF 454

Finish: satin stainless steel
Matching lever: ER 45 Madeira



EFT 634


Finish: satin stainless steel






EF 344

Finish:
satin/pol.
stainless steel
Matching lever:
ER 34 Rio Steel




EF 324

Finish:
satin/pol.
stainless steel
Matching lever:
ER 32 Babylon




EF 354

Finish:
satin/pol.
stainless steel
Matching lever:
ER 35 Lignano Steel




EF 654

Finish:
satin/pol.
stainless steel
Matching lever:
ER 65 New York




EF 374

Finish:
satin/pol.
stainless steel
Matching lever:
ER 37 Verona



F 154

Finish:
chrome/satin
stainless steel
Matching lever:
R 15E Venice



Rotates in 4 positions at 90°

Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm

□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows

Cap: 65 x 30 x 12 mm

Rotates in 4 positions at 90°

Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm


□ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows

Cap: 65 x 30 x 12 mm




EF 334

Finish:
satin/pol.
stainless steel
Matching lever:
ER 33 Cuba




F 384

Finish:
chrome/satin
stainless steel
Matching lever:
R 38 Starlight




EF 484

Finish:
satin/pol. stainless
steel or satin
stainless steel
Matching lever:
ER48 Oregon



F 2304

Finish:
chrome/
satin chrome
Matching lever:
R 230 Denver





**KARCHER
DESIGN**




EF 454 Q

Finish: satin stainless steel
 Optionally with oval cover EF454
 Matching lever: ER 45Q Madeira




EF 474 Q

Finish: satin stainless steel
 Optionally with oval cover EF474
 Matching lever: ER 47Q Portland



EF 464 Q

Finish: satin stainless steel
 Optionally with oval cover EF464
 Matching lever: ER 46Q Seattle




Rotates in 4 positions at 90°
 Hole distance: 43 mm, Fixing: M5 with fixing lugs Ø 10 mm
 □ 7 mm spindle, standard length 35 mm, also available in 30 and 40 mm for wooden/plastic windows
 Cap: 65 x 30 x 12 mm




EFT 464 Q

Finish: satin stainless steel
 Matching lever: ER 46Q Seattle



EAR 400 Q
 Lockable rose

Finish: satin stainless steel
 Suitable for all levers made of stainless steel, brass and zinc
 Hole distance: 43 mm
 Cap: 98 x 35 x 26 mm



Lift and slide door handle - EHS 1

Options: without hole for terrace doors or as a complete set with outside sliding door handle EHSSET 1 UN

Or: euro profile 69 mm for terrace doors - EHS 1 PZ or as a complete set with outside sliding door handle EHSSET 1 PZ

10 mm spindle
 Finish: satin stainless steel
 Plate: 160 x 34 mm
 Screws: M6 x 25
 Diameter of lever: Ø 19 mm
 Spindle length: 50 mm

