






© Arthur Bagen

Reference: Strijp-S, Building ANTON, Eindhoven, Architects: Diederendirrix




3 piece hinge EGB 302 for glass doors
Finish: satin stainless steel




KARCHER glass door lock – EGS 100 OS

Options: latch, euro profile, key hole, bathroom turn/release (e.p. including thumbturn cylinder ZEGS KZA)
Finish: satin stainless steel
Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 302)
suitable for all stainless steel lever models available as complete set EGS 350



Options:




EGS 100 PZ (euro profile)



EGSG 100 (strike box for double door)



Besides the KARCHER DESIGN glass door locks most of our stainless steel lever models are also suitable for DORMA, Schlechtendahl (WSS) and many other glass door lock types. Please ask our customer service before ordering.





3 piece hinge EGB 402Q for glass doors
Finish: satin stainless steel



3 piece hinge EGB 402Q for glass doors
Finish: polished stainless steel





3 piece hinge EGB 302 for glass doors
Finish: satin stainless steel



KARCHER glass door lock - EGS 110Q OS

- Options: latch, euro profile, key hole, bathroom turn/release (e. p. including thumbturn cylinder)
Finish: satin stainless steel, polished stainless steel
Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 402)

suitable for all stainless steel lever models available as complete set EGS 360Q



Options:




EGS 110Q PZ (euro profile) in satin stainless steel



EGSG 110Q (strike box for double door)





EGS 110Q PZ (euro profile) in polished stainless steel



KARCHER glass door lock - EGS 120 OS

- Options: latch, euro profile, key hole, bathroom turn/release (e. p. including thumbturn cylinder)
Finish: satin stainless steel
Hinges: 2 piece hinges (EGB 102) or 3 piece hinges (EGB 302)

suitable for all stainless steel lever models available as complete set EGS 370



Options:



EGS 120 PZ (euro profile)



EGSG 120 (strike box for double door)

As well as the KARCHER DESIGN glass door locks, most of our stainless steel lever models are also suitable for DORMA, Schlechtendahl (WSS) and many other glass door lock types. Please inquire with customer service before ordering.




Moonlight sliding door system for glass doors

ESB FG 180 Moonlight
(passage width: 750 – 900 mm)
ESB FG 210 Moonlight
(passage width: 910 – 1000 mm)

Free-hanging, smooth running sliding door system guided by a hanging stainless steel track with two rolls, including a stopper and a safety catch at each side. Maximum weight 100 kg.

Technical details for
"MOONLIGHT" sliding door system – ESB FG 180/210
for glass doors



ESB FG product code	A mm	B mm	C piece	D mm	E max. mm	F mm	G mm	H max. mm (H = E - F + 25)
ESB FG 180 71	1800	513	4	750–900	2500	7–10	60	2518
ESB FG 210 71	2100	613	4	910–1000	2500	7–10	60	2518






Sunrise sliding door system for glass doors

- ESB SG 190 Sunrise**
(passage width: 750 – 900 mm)
- ESB SG 210 Sunrise**
(passage width: 910 – 1000 mm)

Smooth running sliding door system guided over a floor mounted stainless steel track. Including two stainless steel rolls, two end stoppers and a safeguard at the top to ensure an easy handling.
Maximum weight 150 kg.

Also available with SOFT CLOSE system. Please contact our customer service for more information.

Technical details for "SUNRISE" sliding door system – ESB SG 190 / 210 for glass doors



ESB SG product code	A mm	B mm	D mm	E mm
ESB SG 190 71	1900	2 x 725	750–900	1900
ESB SG 210 71	2100	3 x 550	910–1000	2100





Moonlight sliding door system for wooden doors

ESB FH 180 Moonlight
(passage width: 750 – 900 mm)
ESB FH 210 Moonlight
(passage width: 910 – 1000 mm)

NEW

Free-hanging, smooth running sliding door system guided by a hanging stainless steel track with two rolls, including a stopper and a safety catch at each side. Maximum weight 100 kg.





Sunrise sliding door system for wooden doors


ESB SH 190 Sunrise
(passage width: 750 – 900 mm)
ESB SH 210 Sunrise
(passage width: 910 – 1000 mm)

NEW



Smooth running sliding door system guided over a floor mounted stainless steel track. Including two stainless steel rolls, two end stoppers and a safeguard at the top to ensure an easy handling. Maximum weight 150 kg.

Also available with SOFT CLOSE system. Please contact our customer service for more information.







2 piece hinge – EGB 102
Finish: satin stainless steel





Sliding door handle for glass doors
EZ1706 GS – EZ1706 GSH (for screwing)
Drilling diameter: 50 mm
Finish: satin stainless steel




Slide over door bolt – EGF 100
with floor socket,
for 8 -10 mm glass
Finish: satin stainless steel




Thumbturn cylinder
ZEGS KZA 35/20 (turn side 20 mm)
ZEGS KZB 20/35 (turn side 35 mm)
Finish: satin nickel



Silent latch – ZEGS FL10
for KARCHER glass door locks
Finish: chrome



Frame inserts – EGB 3 V 4400 WF
für wooden frame door
Height: 48,5 mm
Finish: zinc coated steel



Frame inserts – EGB 3 V 8000 WF
for metal frame door
Height: 48,5 mm
Finish: zinc coated steel



© London Square Fulham

Reference: London Square, Fulham, Architects: Assael