



150 Corner Guard Flush Mount

Generated on 14.07.2020

Detailed description

The 150 flush mount corner guard protects the most vulnerable areas of walls from scrapes and other damage. The flush mount design helps this system blend seamlessly into the wall design during new construction.

Includes:

- 90°, 3" (76 mm) wing.
- .080" (2 mm) rigid vinyl cover.
- .070" (1.8 mm) continuous aluminium retainer.

Available in four standard heights: 4" (1.22 m), 8" (2.44 m), 9" (2.74 m), and 12" (3.66 m).

Manufactured from the same material as the Sanparrel™ Rigid Sheet Wall Protection, for seamless blending in with other Inpro protection products.

Features and benefits:

- Manufactured from safe, durable and recyclable PVC-u.
- Helps to protect corners from damage, and conceals existing scrapes.
- Creates a smooth transition from wall to corner and has minimal design interruption.
- Easy to install and maintain.
- Available in a variety of colours.
- Custom heights and angles are available, consult manufacturer for details.
- Includes mounting fasteners and top and bottom caps.
- Cost effective.
- Mounted onto a 1.8 mm thick aluminium retainer with pre-slotted holes.
- Contains no phthalates, halogenated fire retardants or BPA (bisphenol-a).
- Low fossil fuel consumption.

Approvals/ certifications:

- GREENGUARD™ Indoor Air Quality Children and Schools certified.
- May qualify for LEED™ and Green Globes™ credits – consult manufacturer for details.
- Fungal and bacterial resistant (to ASTM G21 and G22).
- Good impact resistance (to ASTM F-476).

Applications:

Inpro

inpro®

INTERIOR AND EXTERIOR
ARCHITECTURAL PRODUCTS

Inpro

35 Little Russel Street
Artist House
1st Floor
London
United Kingdom
WC1A 2HH

Tel: +44(0)7399586677

www.inprocorp.co.uk
jtomlin@inprocorp.com



Suitable for use in all commercial areas where damage protection is required.

Product guidance - As Standard

Material:

PVC-u.

Size:

- Wings: 76 mm (both sides).
- Angle: 90°.

Cover:

2 mm thickness, scratch and stain resistant rigid vinyl.

Options

Colour/ Finish:

- Standard solid colours:

- Aloe 1057. Light reflectance value (LRV): 59.33.
- Beeswax 0249. Light reflectance value (LRV): 56.9.
- Black 0152. Light reflectance value (LRV): 4.5.
- Buoyant Blue 0132. Light reflectance value (LRV): 25.5.
- Burlap 0252. Light reflectance value (LRV): 43.4.
- Cabernet 0241. Light reflectance value (LRV): 7.7.
- Canary 1050. Light reflectance value (LRV): 77.77.
- Cardinal 0236. Light reflectance value (LRV): 11.2.
- Castle 0256. Light reflectance value (LRV): 10.8.
- Clam Shell 0154. Light reflectance value (LRV): 71.1.
- Cloudy 1059. Light reflectance value (LRV): 49.09.
- Clover 1058. Light reflectance value (LRV): 19.82.
- Crystal Jade 0187. Light reflectance value (LRV): 34.8.
- Designer White 0101. Light reflectance value (LRV): 78.7.
- Dove Gray 0106. Light reflectance value (LRV): 37.1.
- Eggshell 0111. Light reflectance value (LRV): 68.4.
- English Green 0125. Light reflectance value (LRV): 16.6.
- Honey 1053. Light reflectance value (LRV): 34.21.
- Light Beige 0109. Light reflectance value (LRV): 70.5.
- Mandarin 1054. Light reflectance value (LRV): 36.69.
- Mint 1056. Light reflectance value (LRV): 55.21.
- Orchid 1055. Light reflectance value (LRV): 17.36.
- Periwinkle 0272. Light reflectance value (LRV): 19.5.
- Pewter Gray 0107. Light reflectance value (LRV): 17.5.
-



Point Blue 0165. Light reflectance value (LRV): 8.9.

- Purple Haze 0171. Light reflectance value (LRV): 15.8.
- River Rock 0351. Light reflectance value (LRV): 22.4.
- Sharkskin 0350. Light reflectance value (LRV): 42.2.
- Sherbet 1052. Light reflectance value (LRV): 51.3.
- Silver 0105. Light reflectance value (LRV): 48.1.
- Sunny Day 1051. Light reflectance value (LRV): 69.84.
- Taupe 0113. Light reflectance value (LRV): 52.0.
- Truffle 0284. Light reflectance value (LRV): 9.6.
- White Sand 0103. Light reflectance value (LRV): 77.0.

- Woodlands patterns (W):

- American Walnut 0555. Light reflectance value (LRV): 6.3.
- Applewood 0537. Light reflectance value (LRV): 30.5.
- Boston Cherry 0534. Light reflectance value (LRV): 9.2.
- Honeynut 0535. Light reflectance value (LRV): 15.9.
- Natural Maple 0531. Light reflectance value (LRV): 57.7.
- Santa Rosa 0532. Light reflectance value (LRV): 37.3.

Product specification

Manufacturer

- Name: Inpro
- Web: www.inprocorp.co.uk
- Email: jtomlin@inprocorp.com
- Tel: +44(0)7399586677
- Address: 35 Little Russel Street, Artist House, 1st Floor, London, United Kingdom WC1A 2HH

Product reference	154F Corner Guard - 1.2 m high. 158F Corner Guard - 2.4 m high. 159F Corner Guard - 2.74 m high. 1512F Corner Guard - 3.66 m high.
Type	End wall corner Standard corner
Colour/ Finish	Standard solid colours Woodlands patterns (W)
Fixing	Tape No tape



Accessories/ Other requirements

Not required
1.2 m cove base retainer (150B-4) - For easy wrapping around corners.
1.8 m cove base retainer (150B-6) - For easy wrapping around corners.
Custom bendable aluminium retainer - With flexible top caps and pre-slotted holes. Consult manufacturer for details.
Closure cap (150F-Cap) - Helps to achieve a finished look for installations which are less than ceiling height.