



INTRAshape™

Generated on 26.05.2019

Detailed description

Range of polygonal entrance matting tiles.

Features:

- Tile format for ease of handling, installation and replacement in case of damage.
- Tiles can be combined by shape (polygons) and/ or colour, allowing for a huge range of design possibilities.
- Enhances the appearance of the entrance.
- Suitable for entrances where multi-directional foot traffic occurs.

Applications:

Internal - high traffic areas.

Installation:

Into suitable recessed matwell area, with surface of the matting level with adjoining floor coverings.

Product guidance - As Standard

Depth:

Overall: 16 mm.

Weight:

12.8 kg/m².

Construction:

- Aluminium composite panel with high quality polyamide fibre surface.
- Cushion backing: Ethylene propylene diene monomer (EPDM)/ Neoprene sponge.

Temperature resistance:

-50°C to 70°C.

Options

Inserts:

- INTRAlux Elite polyamide fibre:

601 Red; 602 Blue; 604 Coco; 605 Brown; 606 Grey; 607 Anthracite; 608 Black; 609 Purple; 610 Turquoise.



INTRAsystems

INTRAsystems
14 Headlands Business Park
Salisbury Road, Blashford
Ringwood
Hants
BH24 3PB

Tel: +44 (0)1425 472000

www.intrasystems.co.uk
info@intrasystems.co.uk



- INTRAlux Premier fibre:

130 Black; 138 Slate Grey.

- INTRAlux Select fibre:

50 Black; 73 Grey.

- INTRAlux Linear Polypropylene fibre:

443 Anthracite; 451 Grey.

Other insert options available; consult manufacturer for details.

Product specification

Manufacturer

- Name: INTRAsystems
- Web: www.intrasystems.co.uk
- Email: info@intrasystems.co.uk
- Tel: +44 (0)1425 472000
- Fax: +44 (0)1425 481981
- Address: INTRAsystems, 14 Headlands Business Park, Salisbury Road, Blashford, Ringwood, Hants BH24 3PB

Product reference INTRAshape™

Shape Diamond, small - 230 x 230 mm.
Diamond, medium, slim - 115 x 575 mm (45° angle).
Diamond, large - 460 mm (60° angle).
Hexagon, small - 230 mm.
Rectangle, XS - 115 x 345 mm.
Rectangle, small - 230 x 460 mm.
Rectangle, medium - 230 x 690 mm.
Rectangle, medium, slim - 115 x 690 mm.
Rectangle, large - 460 x 690 mm.
Square, small - 230 x 230 mm.
Square, large - 460 x 460 mm.
Triangle, small - 230 mm.
Triangle, large - 460 mm.

Finish Black anodized
Bronze anodized
Silver anodized - Standard.
Bespoke - Consult manufacturer and insert colour requirement.

Inserts Elite polyamide fibre, colour - Insert colour requirement from 'Options' below.
INTRAlux Premier fibre, colour - Insert colour requirement from 'Options' below.



INTRALux Select fibre, colour - Insert colour requirement from 'Options' below.

Polypropylene fibre, colour - Insert colour requirement from 'Options' below.

Matwell frame

Not required
INT019