Reduc Strata

Generated on 16.12.2018

Detailed description

A high performance acoustic overlay flooring product designed to damp vibration and attenuate both airborne sound and impact noise passing through floors. It comprises an upper layer of moisture-resistant MDF isolated from a layer of dense cement particle board or chipboard by viscoelastic sound damping strips. The underside incorporates a resilient layer of acoustic felt, which provides mechanical isolation from the existing floor structure.

The moisture-resistant upper surface means Reduc Strata can be used throughout the building, including kitchens and bathrooms, whilst the acoustic felt on the underside will contour over minor irregularities in the surface of the floor being treated. Suitable for use on new and existing timber and concrete floors.

Product guidance - As Standard

Size (Ixw):

1175 x 575 mm.

Thickness:

35 mm.

Product specification

Manufacturer

- Name: H & H Acoustic Technologies

- Web: www.acoustictechnologies.co.uk

- Email: info@acoustictechnologies.co.uk

- Tel: +44 (0)1536 270450

- Address: 23 Princewood Road, Corby NN17 4AP

Product reference Reduc Strata - 18.47 kg/m², MDF and

chipboard.

Reduc Strata Extra - 27.90 kg/m², MDF and

particleboard.



H & H Acoustic Technologies 23 Princewood Road Corby NN17 4AP

Tel: +44 (0)1536 270450

www.acoustictechnologies.co.uk info@acoustictechnologies.co.uk

